



MATERIAL SAFETY DATA SHEET

CrystalFin® Floor Finish

Product Number(s): 1250-1251
 Manufacturer: Daly's Wood Finishing Products
 3525 Stone Way North
 Seattle, WA 98103

HMIS Information
 Health 1
 Flammability 0
 Reactivity 0

Preparer's Name: H. Paulson
 Date Prepared: 10/25/00
 Date Reviewed: 08/07/03

Emergency Telephone Number:
 Chemtel (24 Hour): 800-255-3924

SECTION I - PRODUCT IDENTITY

Chemical Name: Acrylic/Polyurethane Resin Mixture. **Chemical Formula:** N/A Product is a mixture.
Shipping Classification: Not Regulated

SECTION II - HAZARDOUS INGREDIENTS

Chemical & Common Name:	CAS Number:	Wt. %:	OSHA PEL:	ACGIH TLV:	OTHER:
Dipropylene Glycol Monomethyl Ether	34590-94-8	6.5	100ppm	100ppm	
Propylene Glycol Monobutyl Ether*	5131-66-8	2	Not Established	Not Established	
Dibutyl Phthalate*	84-74-2	1	5mg/m ³	5mg/m ³	
N-Methyl Pyrrolidone*	872-50-4	2-3	Not Established	Not Established	100ppm recommended

*Denotes a reportable toxic chemical under EPA SARA Title III, Section 313 (40 CFR 372).

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Range:	212°F	% Volatile by Volume:	74-75%
Specific Gravity:	1.03-1.06	Evaporation Rate(BuOAc=1):	=water
Vapor Pressure (mm Hg):	=water	Maximum Volatile	
Vapor Density (Air=1):	=water	Organic Content (V.O.C.):	<250 gr/L

Solubility (specific solvents):
 Completely soluble in water, alcohol; insoluble in most petroleum solvents.

Appearance & Odor:
 Milky white, thin liquid; very little odor.

SECTION IV - FIRE & EXPLOSION DATA

Flash Point (Setaflash): Product is non-flammable. **Flammable Limits (% in Air):** N/A

Extinguishing Media: Product is non-flammable

Special Fire Fighting Procedures: Product is non-flammable

Unusual Fire & Explosion Hazards: None known.

Reactivity: Product is stable.

Conditions to Avoid: Keep from freezing. **Hazardous Polymerization:** Will not occur.

Incompatibilities (materials to avoid): None known.

Hazardous Decomposition Products: Usual products of combustion, CO₂, and oxides of nitrogen.

SECTION V - HEALTH HAZARDS

Primary Routes of Entry: Eye contact, ingestion.

ACUTE HEALTH EFFECTS:

EYE CONTACT: May cause redness, irritation.

INHALATION: May cause irritation to respiratory tract.

INGESTION: May cause nausea, gastrointestinal irritation, or vomiting.

SKIN CONTACT: May cause irritation.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: Wash with clean water for at least fifteen minutes; if irritation persists, get medical attention.

INHALATION: Remove to fresh air. If not breathing, give mouth to mouth; seek medical attention.

INGESTION: DO NOT INDUCE VOMITING. Give water or milk to drink; if irritation persists, get medical attention.

SECTION V - HEALTH HAZARDS(cont'd)

SKIN CONTACT: Wash with water. Remove contaminated clothing. If irritation persists, seek medical aid

CHRONIC HEALTH EFFECTS: Not listed as a carcinogen by the NTP, IARC, or OSHA.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

SECTION VI - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released: Soak up spill with absorbent material. Let dry and dispose of.

Waste disposal method: Dispose of in accordance with all federal, state and local regulations.

SECTION VII - SPECIAL PROTECTION DATA

Respiratory protection: None required with normal use. If spraying, wear a NIOSH-approved respirator for organic vapors, and ensure workers are trained in proper use.

Ventilation: Local exhaust to keep vapor concentration below TLV.

Protective Gloves: Rubber or plastic, if prolonged contact is likely.

Eye Protection: Goggles or face shield.

Other protective clothing or equipment: Plastic apron, if contact is likely; eyewash station should be available.

SECTION VIII - HANDLING & STORAGE DATA

Precautions to be taken in handling and storage: Read and observe all precautions on product label.

Other precautions: Store in original container; keep tightly closed. Do not reuse container for other purposes.

KEEP OUT OF REACH OF CHILDREN.

SECTION IX - OTHER INFORMATION

Daly's, Inc. certifies that this MSDS meets the requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and EPA SARA Title III Section 313 Supplier Notification (40 CFR 372):

<u>C.A.S. Number</u>	<u>Chemical or Common Name</u>	<u>% by Weight</u>
5131-66-8	Propylene Glycol Monobutyl Ether	2
84-74-2	Dibutyl Phthalate	1
872-50-4	N-Methyl Pyrrolidone*	2-3

* CA PROP 65: Known to the State of California to cause cancer and or reproductive toxicity.

Daly's Wood Finishing Products

3525 Stone Way N, Seattle, WA 98103

phone(206) 633-4200

toll free(800) 735-7019

fax(206)632-2565